ELSEVIER

Brain Research 737 (1996) 356–358

BRAIN RESEARCH

# Author Index

Ajayi, Y.O., see Lundberg, C. (737) 295
Akiyama, T., see Yamazaki, T. (737) 343
Al-Bustan, M., see Bitar, M.S. (737) 292
Ali, S.F., Newport, G.D., Slikker Jr, W., Rothman, R.B. and Baumann, M.H.
Neuroendocrine and neurochemical effects of acute ibogaine administration: a time course evaluation (737) 215
Alkire, M.T., see Marrocco, R.T. (737) 110
Ambros-Ingerson, J., see Kolta, A. (737) 133

Barik, S. and De Beaurepaire, R.
Evidence for a functional role of the dopamine D3 receptors in the cerebellum (737) 347
Baskys, A., see Xiong, H. (737) 188
Baudry, M., see Garcia, R. (737) 169
Baumann, M.H., see Ali, S.F. (737) 215
Behr, J. and Heinemann, U.
Effects of serotonin on different patterns of low $Mg^{2+}$-induced epileptiform activity in the subiculum of rats studied in vitro (737) 331
Bert, L., see Rocher, C. (737) 221
Bitar, M.S., Al-Bustan, M., Nehme, C.L. and Pilcher, C.W.T.
Antinociceptive action of intrathecally administered IGF-I and the expression of its receptor in rat spinal cord (737) 292
Björklund, A., see Lundberg, C. (737) 295
Bolwig, T.G., see Woldbye, D.P.D. (737) 162
Bonkale, W.L., Fastbom, J., Wiehager, B., Ravid, R., Winblad, B. and Cowburn, R.F.
Impaired G-protein-stimulated adenylyl cyclase activity in Alzheimer's disease brain is not accompanied by reduced cyclic-AMP-dependent protein kinase A activity (737) 155
Brain, P.F., see Overton, P.G. (737) 146
Bulloch, A.G.M., see Ewadinger, N.M. (737) 1

Castellani, R., Smith, M.A., Richey, P.L. and Perry, G.
Glycoxidation and oxidative stress in Parkinson disease and diffuse Lewy body disease (737) 195
Chan, P.H., see Kondo, T. (737) 321
Chen, S.-F., see Hsueh, C.-M. (737) 263
Clark, A.S., see Smith, S.T. (737) 313
Clark, D., see Overton, P.G. (737) 146
Coscina, D.V., see Currie, P.J. (737) 238
Cowburn, R.F., see Bonkale, W.L. (737) 155
Craft, C.M., see Gauer, F. (737) 99
Currie, P.J. and Coscina, D.V.
Regional hypothalamic differences in neuropeptide Y-induced feeding and energy substrate utilization (737) 238

De Beaurepaire, R., see Barik, S. (737) 347
Dickenson, A.H., see Stanfa, L.C. (737) 92
Diksic, M., see Mück-Šeler, D. (737) 45
Drucker-Colín, R., see Vazquez, J. (737) 317
Duncan, M.J., see Gurwell, J.A. (737) 175

Eclancher, F., Kehrli, P., Labourdette, G. and Sensenbrenner, M.
Basic fibroblast growth factor (bFGF) injection activates the glial reaction in the injured adult rat brain (737) 201
Elde, R.P., see Gurwell, J.A. (737) 175
Endo, T., see Hara, S. (737) 339
Epstein, C.J., see Kondo, T. (737) 321
Ewadinger, N.M., Ridgway, R.L., Syed, N.I., Lukowiak, K. and Bulloch, A.G.M.
Identification and localization of a [$Met^5$]-enkephalin-like peptide in the mollusc, *Lymnaea stagnalis* (737) 1

Fastbom, J., see Bonkale, W.L. (737) 155
Ferguson, S.A., see Kennaway, D.J. (737) 301
Field, P.M., see Lundberg, C. (737) 295

Garcia, R., Tocco, G., Baudry, M. and Thompson, R.
Polysynaptic potentiation in the lateral septum following stimulation of the fimbria in anesthetized rats (737) 169
Gardier, A.M., see Rocher, C. (737) 221
Gauer, F. and Craft, C.M.
Circadian regulation of hydroxyindole-*O*-methyltransferase mRNA levels in rat pineal and retina (737) 99
Gebhart, G.F., see Urban, M.O. (737) 83
Ghanta, V.K., see Hsueh, C.-M. (737) 263
Glick, S.D., see Molinari, H.H. (737) 255
Gliemann, J., see Ishii, M. (737) 269
Gosselin, O., see Sotty, F. (737) 243
Graham, S.H., see Tanaka, K. (737) 59
Gurwell, J.A., Duncan, M.J., Maderspach, K., Stiene-Martin, A., Elde, R.P. and Hauser, K.F.
κ-Opioid receptor expression defines a phenotypically distinct subpopulation of astroglia: relationship to $Ca^{2+}$ mobilization, development, and the antiproliferative effect of opioids (737) 175
Guzmán-Marín, R., see Vazquez, J. (737) 317

Hajós, M., Sharp, T. and Newberry, N.R.
Intracellular recordings from burst-firing presumed serotonergic neurones in the rat dorsal raphe nucleus in vivo (737) 308
Hara, S., Mukai, T., Kuriiwa, F., Iwata, N., Kano, S. and Endo, T.
Local changes in oxygen tension and blood flow in the brain under hyperthermia induced by intracerebroventricular NMDA in rats (737) 339
Hari, R., see Vanni, S. (737) 25
Harik, N., Harik, S.I., Kuo, N.-T., Sakai, K., Przybylski, R.J. and LaManna, J.C.
Time-course and reversibility of the hypoxia-induced alterations in cerebral vascularity and cerebral capillary glucose transporter density (737) 335
Harik, S.I., see Harik, N. (737) 335
Hauser, K.F., see Gurwell, J.A. (737) 175
Hayashi, H., Takagi, N., Kamimoto, N. and Takeo, S.
Microsphere embolism-induced changes in presynaptic function of the cerebral cortex in rats (737) 64
Heinemann, U., see Behr, J. (737) 331
Hiramoto, R.N., see Hsueh, C.-M. (737) 263
Honkaniemi, J., see Kondo, T. (737) 321
Hsueh, C.-M., Chen, S.-F., Huang, H.-J., Ghanta, V.K. and Hiramoto, R.N.
Activation of μ-opioid receptors are required for the conditioned enhancement of NK cell activity (737) 263
Huang, H.-J., see Hsueh, C.-M. (737) 263

Ikai, A., see Ishii, M. (737) 269
Imahori, K., see Shiurba, R.A. (737) 119
Ishiguro, K., see Shiurba, R.A. (737) 119
Ishii, M., Osada, T., Gliemann, J. and Ikai, A.
Neurite-promoting effect of $\alpha_2$-macroglobulin in rat cerebral cortex is mainly associated with $\alpha_2$-macroglobulin receptor (737) 269
Iwata, N., see Hara, S. (737) 339

Jacquot, C., see Rocher, C. (737) 221
Jakuš, J., see Miller, A.D. (737) 51

ELSEVIER

Brain Research 737 (1996) 356–358

BRAIN RESEARCH

# Author Index

Ajayi, Y.O., see Lundberg, C. (737) 295
Akiyama, T., see Yamazaki, T. (737) 343
Al-Bustan, M., see Bitar, M.S. (737) 292
Ali, S.F., Newport, G.D., Slikker Jr, W., Rothman, R.B. and Baumann, M.H.
Neuroendocrine and neurochemical effects of acute ibogaine administration: a time course evaluation (737) 215
Alkire, M.T., see Marrocco, R.T. (737) 110
Ambros-Ingerson, J., see Kolta, A. (737) 133

Barik, S. and De Beaurepaire, R.
Evidence for a functional role of the dopamine D3 receptors in the cerebellum (737) 347
Baskys, A., see Xiong, H. (737) 188
Baudry, M., see Garcia, R. (737) 169
Baumann, M.H., see Ali, S.F. (737) 215
Behr, J. and Heinemann, U.
Effects of serotonin on different patterns of low $Mg^{2+}$-induced epileptiform activity in the subiculum of rats studied in vitro (737) 331
Bert, L., see Rocher, C. (737) 221
Bitar, M.S., Al-Bustan, M., Nehme, C.L. and Pilcher, C.W.T.
Antinociceptive action of intrathecally administered IGF-I and the expression of its receptor in rat spinal cord (737) 292
Björklund, A., see Lundberg, C. (737) 295
Bolwig, T.G., see Woldbye, D.P.D. (737) 162
Bonkale, W.L., Fastbom, J., Wiehager, B., Ravid, R., Winblad, B. and Cowburn, R.F.
Impaired G-protein-stimulated adenylyl cyclase activity in Alzheimer's disease brain is not accompanied by reduced cyclic-AMP-dependent protein kinase A activity (737) 155
Brain, P.F., see Overton, P.G. (737) 146
Bulloch, A.G.M., see Ewadinger, N.M. (737) 1

Castellani, R., Smith, M.A., Richey, P.L. and Perry, G.
Glycoxidation and oxidative stress in Parkinson disease and diffuse Lewy body disease (737) 195
Chan, P.H., see Kondo, T. (737) 321
Chen, S.-F., see Hsueh, C.-M. (737) 263
Clark, A.S., see Smith, S.T. (737) 313
Clark, D., see Overton, P.G. (737) 146
Coscina, D.V., see Currie, P.J. (737) 238
Cowburn, R.F., see Bonkale, W.L. (737) 155
Craft, C.M., see Gauer, F. (737) 99
Currie, P.J. and Coscina, D.V.
Regional hypothalamic differences in neuropeptide Y-induced feeding and energy substrate utilization (737) 238

De Beaurepaire, R., see Barik, S. (737) 347
Dickenson, A.H., see Stanfa, L.C. (737) 92
Diksic, M., see Mück-Šeler, D. (737) 45
Drucker-Colín, R., see Vazquez, J. (737) 317
Duncan, M.J., see Gurwell, J.A. (737) 175

Eclancher, F., Kehrli, P., Labourdette, G. and Sensenbrenner, M.
Basic fibroblast growth factor (bFGF) injection activates the glial reaction in the injured adult rat brain (737) 201
Elde, R.P., see Gurwell, J.A. (737) 175
Endo, T., see Hara, S. (737) 339
Epstein, C.J., see Kondo, T. (737) 321
Ewadinger, N.M., Ridgway, R.L., Syed, N.I., Lukowiak, K. and Bulloch, A.G.M.
Identification and localization of a [$Met^5$]-enkephalin-like peptide in the mollusc, *Lymnaea stagnalis* (737) 1

Fastbom, J., see Bonkale, W.L. (737) 155
Ferguson, S.A., see Kennaway, D.J. (737) 301
Field, P.M., see Lundberg, C. (737) 295

Garcia, R., Tocco, G., Baudry, M. and Thompson, R.
Polysynaptic potentiation in the lateral septum following stimulation of the fimbria in anesthetized rats (737) 169
Gardier, A.M., see Rocher, C. (737) 221
Gauer, F. and Craft, C.M.
Circadian regulation of hydroxyindole-*O*-methyltransferase mRNA levels in rat pineal and retina (737) 99
Gebhart, G.F., see Urban, M.O. (737) 83
Ghanta, V.K., see Hsueh, C.-M. (737) 263
Glick, S.D., see Molinari, H.H. (737) 255
Gliemann, J., see Ishii, M. (737) 269
Gosselin, O., see Sotty, F. (737) 243
Graham, S.H., see Tanaka, K. (737) 59
Gurwell, J.A., Duncan, M.J., Maderspach, K., Stiene-Martin, A., Elde, R.P. and Hauser, K.F.
κ-Opioid receptor expression defines a phenotypically distinct subpopulation of astroglia: relationship to $Ca^{2+}$ mobilization, development, and the antiproliferative effect of opioids (737) 175
Guzmán-Marín, R., see Vazquez, J. (737) 317

Hajós, M., Sharp, T. and Newberry, N.R.
Intracellular recordings from burst-firing presumed serotonergic neurones in the rat dorsal raphe nucleus in vivo (737) 308
Hara, S., Mukai, T., Kuriiwa, F., Iwata, N., Kano, S. and Endo, T.
Local changes in oxygen tension and blood flow in the brain under hyperthermia induced by intracerebroventricular NMDA in rats (737) 339
Hari, R., see Vanni, S. (737) 25
Harik, N., Harik, S.I., Kuo, N.-T., Sakai, K., Przybylski, R.J. and LaManna, J.C.
Time-course and reversibility of the hypoxia-induced alterations in cerebral vascularity and cerebral capillary glucose transporter density (737) 335
Harik, S.I., see Harik, N. (737) 335
Hauser, K.F., see Gurwell, J.A. (737) 175
Hayashi, H., Takagi, N., Kamimoto, N. and Takeo, S.
Microsphere embolism-induced changes in presynaptic function of the cerebral cortex in rats (737) 64
Heinemann, U., see Behr, J. (737) 331
Hiramoto, R.N., see Hsueh, C.-M. (737) 263
Honkaniemi, J., see Kondo, T. (737) 321
Hsueh, C.-M., Chen, S.-F., Huang, H.-J., Ghanta, V.K. and Hiramoto, R.N.
Activation of μ-opioid receptors are required for the conditioned enhancement of NK cell activity (737) 263
Huang, H.-J., see Hsueh, C.-M. (737) 263

Ikai, A., see Ishii, M. (737) 269
Imahori, K., see Shiurba, R.A. (737) 119
Ishiguro, K., see Shiurba, R.A. (737) 119
Ishii, M., Osada, T., Gliemann, J. and Ikai, A.
Neurite-promoting effect of $\alpha_2$-macroglobulin in rat cerebral cortex is mainly associated with $\alpha_2$-macroglobulin receptor (737) 269
Iwata, N., see Hara, S. (737) 339

Jacquot, C., see Rocher, C. (737) 221
Jakuš, J., see Miller, A.D. (737) 51

Jiang, M.C., see Urban, M.O. (737) 83
Johnson, R.L., see Ott, M.C. (737) 287

Kamata, Y., see Misonou, H. (737) 351
Kamimoto, N., see Hayashi, H. (737) 64
Kano, S., see Hara, S. (737) 339
Kawada, T., see Yamazaki, T. (737) 343
Kehrli, P., see Eclancher, F. (737) 201
Kennaway, D.J., Rowe, S.A. and Ferguson, S.A.
Serotonin agonists mimic the phase shifting effects of light on the melatonin rhythm in rats (737) 301
King, M.S., see Williams, J.B. (737) 231
Kitagawa, H., see Yamazaki, T. (737) 343
Kolta, A., Ambros-Ingerson, J. and Lynch, G.
Early and late components of AMPA-receptor mediated field potentials in hippocampal slices (737) 133
Kondo, T., Murakami, K., Honkaniemi, J., Sharp, F.R., Epstein, C.J. and Chan, P.H.
Expression of *hsp*70 mRNA is induced in the brain of transgenic mice overexpressing human CuZn-superoxide dismutase following transient global cerebral ischemia (737) 321
Kozaki, S., see Misonou, H. (737) 351
Kumakura, K., see Misonou, H. (737) 351
Kuo, N.-T., see Harik, N. (737) 335
Kuriiwa, F., see Hara, S. (737) 339

Labourdette, G., see Eclancher, F. (737) 201
Lai, C.-J., see Pan, J.-T. (737) 78
LaManna, J.C., see Harik, N. (737) 335
Larsen, P.J., see Woldbye, D.P.D. (737) 162
Lukowiak, K., see Ewadinger, N.M. (737) 1
Lundberg, C., Field, P.M., Ajayi, Y.O., Raisman, G. and Björklund, A.
Conditionally immortalized neural progenitor cell lines integrate and differentiate after grafting to the adult rat striatum. A combined autoradiographic and electron microscopic study (737) 295
Luo, J., West, J.R. and Pantazis, N.J.
Ethanol exposure reduces the density of the low-affinity nerve growth factor receptor (p75) on pheochromocytoma (PC12) cells (737) 34
Lynch, G., see Kolta, A. (737) 133

Maderspach, K., see Gurwell, J.A. (737) 175
Madsen, T.M., see Woldbye, D.P.D. (737) 162
Maisonneuve, I.M., see Molinari, H.H. (737) 255
Marrocco, R.T., McClurkin, J.W. and Alkire, M.T.
The influence of the visual cortex on the spatiotemporal response properties of lateral geniculate nucleus cells (737) 110
McClurkin, J.W., see Marrocco, R.T. (737) 110
Mercken, M., see Shiurba, R.A. (737) 119
Mikkelsen, J.D., see Woldbye, D.P.D. (737) 162
Miller, A.D., Nonaka, S., Jakuš, J. and Yates, B.J.
Modulation of vomiting by the medullary midline (737) 51
Mishra, R.K., see Ott, M.C. (737) 287
Misonou, H., Nishiki, T.-i., Sekiguchi, M., Takahashi, M., Kamata, Y., Kozaki, S., Ohara-Imaizumi, M. and Kumakura, K.
Dissociation of SNAP-25 and VAMP-2 by MgATP in permeabilized adrenal chromaffin cells (737) 351
Misra, C., see Stanfa, L.C. (737) 92
Molinari, H.H., Maisonneuve, I.M. and Glick, S.D.
Ibogaine neurotoxicity: a re-evaluation (737) 255
Mück-Šeler, D. and Diksic, M.
DL-Fenfluramine increases the 5-HT synthesis rate in the terminals while decreasing it in the cell bodies of the rat brain (737) 45
Mukai, T., see Hara, S. (737) 339
Murakami, K., see Kondo, T. (737) 321
Murphy, D.M., see Williams, J.B. (737) 231

Nehme, C.L., see Bitar, M.S. (737) 292
Newberry, N.R., see Hajós, M. (737) 308
Newport, G.D., see Ali, S.F. (737) 215
Nishiki, T.-i., see Misonou, H. (737) 351
Nixon, R.A., see Shiurba, R.A. (737) 119
Nonaka, S., see Miller, A.D. (737) 51

Ohara-Imaizumi, M., see Misonou, H. (737) 351
Osada, T., see Ishii, M. (737) 269
Ott, M.C., Mishra, R.K. and Johnson, R.L.
Modulation of dopaminergic neurotransmission in the 6-hydroxydopamine lesioned rotational model by peptidomimetic analogues of L-prolyl-L-leucyl-glycinamide (737) 287
Overton, P.G., Tong, Z.-Y., Brain, P.F. and Clark, D.
Preferential occupation of mineralocorticoid receptors by corticosterone enhances glutamate-induced burst firing in rat midbrain dopaminergic neurons (737) 146

Pan, J.-T., Lai, C.-J. and Yen, S.-H.
Effects of natriuretic peptides and dopamine on single-unit activity of dorsomedial arcuate neurons in rat brain slices (737) 78
Pantazis, N.J., see Luo, J. (737) 34
Perry, G., see Castellani, R. (737) 195
Pilcher, C.W.T., see Bitar, M.S. (737) 292
Przybylski, R.J., see Harik, N. (737) 335

Quiñonez, M., Romero, P.J. and Rojas, L.
Action of protein kinase A activators on the caudal neuromuscular junction of toad tadpoles, recorded on synaptic spots (737) 327

Raisman, G., see Lundberg, C. (737) 295
Ravid, R., see Bonkale, W.L. (737) 155
Renaud, B., see Rocher, C. (737) 221
Reynolds, K.E., see Williams, J.B. (737) 231
Richey, P.L., see Castellani, R. (737) 195
Ridgway, R.L., see Ewadinger, N.M. (737) 1
Robert, F., see Rocher, C. (737) 221
Rocher, C., Bert, L., Robert, F., Trouvin, J.-H., Renaud, B., Jacquot, C. and Gardier, A.M.
Microdialysis monitoring of variations in extracellular levels of serotonin, GABA and excitatory amino acids in the frontal cortex of awake rats in response to a single peripheral or central administration of dexfenfluramine (737) 221
Rockstroh, B., see Vanni, S. (737) 25
Rojas, L., see Quiñonez, M. (737) 327
Romero, P.J., see Quiñonez, M. (737) 327
Rothman, R.B., see Ali, S.F. (737) 215
Rowe, S.A., see Kennaway, D.J. (737) 301

Sakai, K., see Harik, N. (737) 335
Salín-Pascual, R.J., see Vazquez, J. (737) 317
Sandner, G., see Sotty, F. (737) 243
Sato, K., see Shiurba, R.A. (737) 119
Sekiguchi, M., see Misonou, H. (737) 351
Sensenbrenner, M., see Eclancher, F. (737) 201
Sharp, F.R., see Kondo, T. (737) 321
Sharp, T., see Hajós, M. (737) 308
Shiurba, R.A., Ishiguro, K., Takahashi, M., Sato, K., Spooner, E.T., Mercken, M., Yoshida, R., Wheelock, T.R., Yanagawa, H., Imahori, K. and Nixon, R.A.
Immunocytochemistry of tau phosphoserine 413 and tau protein kinase I in Alzheimer pathology (737) 119
Simon, R.P., see Tanaka, K. (737) 59
Slikker Jr, W., see Ali, S.F. (737) 215
Smith, M.A., see Castellani, R. (737) 195
Smith, S.T., Stackman, R.W. and Clark, A.S.
Spatial working memory is preserved in rats treated with anabolic-androgenic steroids (737) 313
Sotty, F., Sandner, G. and Gosselin, O.
Latent inhibition in conditioned emotional response: c-*fos* immunolabelling evidence for brain areas involved in the rat (737) 243
Spooner, E.T., see Shiurba, R.A. (737) 119
Stackman, R.W., see Smith, S.T. (737) 313
Stanfa, L.C., Misra, C. and Dickenson, A.H.
Amplification of spinal nociceptive transmission depends on the generation of nitric oxide in normal and carrageenan rats (737) 92
Stiene-Martin, A., see Gurwell, J.A. (737) 175
Sweazey, R.D.
Distribution of GABA and glycine in the lamb nucleus of the solitary tract (737) 275
Syed, N.I., see Ewadinger, N.M. (737) 1

Takagi, N., see Hayashi, H. (737) 64
Takahashi, M., see Misonou, H. (737) 351
Takahashi, M., see Shiurba, R.A. (737) 119
Takauchi, Y., see Yamazaki, T. (737) 343
Takeo, S., see Hayashi, H. (737) 64
Tanaka, K., Graham, S.H. and Simon, R.P.
The role of excitatory neurotransmitters in seizure-induced neuronal injury in rats (737) 59
Tang, J.-S., see Zhang, Y.-Q. (737) 16
Thompson, R., see Garcia, R. (737) 169
Tocco, G., see Garcia, R. (737) 169
Tong, Z.-Y., see Overton, P.G. (737) 146
Toufexis, D.J. and Walker, C.-D.
Noradrenergic facilitation of the adrenocorticotropin response to stress is absent during lactation in the rat (737) 71
Trouvin, J.-H., see Rocher, C. (737) 221

Urban, M.O., Jiang, M.C. and Gebhart, G.F.
Participation of central descending nociceptive facilitatory systems in secondary hyperalgesia produced by mustard oil (737) 83

Vanni, S., Rockstroh, B. and Hari, R.
Cortical sources of human short-latency somatosensory evoked fields to median and ulnar nerve stimuli (737) 25
Vazquez, J., Guzmán-Marín, R., Salín-Pascual, R.J. and Drucker-Colín, R.
Transdermal nicotine on sleep and PGO spikes (737) 317

Walker, C.-D., see Toufexis, D.J. (737) 71
Welch, S.J., see Williams, J.B. (737) 231
West, J.R., see Luo, J. (737) 34
Wheelock, T.R., see Shiurba, R.A. (737) 119
Wiehager, B., see Bonkale, W.L. (737) 155
Williams, J.B., Murphy, D.M., Reynolds, K.E., Welch, S.J. and King, M.S.
Demonstration of a bilateral projection from the rostral nucleus of the solitary tract to the medial parabrachial nucleus in rat (737) 231
Winblad, B., see Bonkale, W.L. (737) 155
Wojtowicz, J.M., see Xiong, H. (737) 188
Woldbye, D.P.D., Madsen, T.M., Larsen, P.J., Mikkelsen, J.D. and Bolwig, T.G.
Neuropeptide Y inhibits hippocampal seizures and wet dog shakes (737) 162

Xiong, H., Baskys, A. and Wojtowicz, J.M.
Brain-derived peptides inhibit synaptic transmission via presynaptic $GABA_B$ receptors in CA1 area of rat hippocampal slices (737) 188

Yamazaki, T., Akiyama, T., Kitagawa, H., Takauchi, Y. and Kawada, T.
Elevation of either axoplasmic norepinephrine or sodium level induced release of norepinephrine from cardiac sympathetic nerve terminals (737) 343
Yanagawa, H., see Shiurba, R.A. (737) 119
Yates, B.J., see Miller, A.D. (737) 51
Yen, S.-H., see Pan, J.-T. (737) 78
Yoshida, R., see Shiurba, R.A. (737) 119
Yuan, B., see Zhang, Y.-Q. (737) 16

Zhang, Y.-Q., Tang, J.-S. and Yuan, B.
Inhibitory effects of electrical stimulation of thalamic nucleus submedius on the nociceptive responses of spinal dorsal horn neurons in the rat (737) 16